



**GENERAL NOTES**

1. APPROVED HAZARD AND DIRECTIONAL TACTILE GROUND SURFACE INDICATORS (TGSIS) - WHITE, PANDATAC GRANITE (FLAMED FINISH) TGSIS BY EIGEN STONES, OR SOLIDTAC (FLAMED FINISH) TGSIS BY SIGNATURE STONE & TILE, OR OTHER COUNCIL APPROVED PRODUCTS
2. DIRECTIONAL TGSIS ARE REQUIRED IF  $d > 3000$  OR RAMP IS NOT ALIGNED WITH BUILDING LINE
3. HAZARD TGSIS SHALL BE INSTALLED PERPENDICULAR TO THE LINE OF TRAVEL OF PEDESTRIANS
4. WHERE THE SPACE BETWEEN RAMPS IS LESS THAN 500mm, JOINED RAMPS SHALL BE USED
5. DESIGN, CONSTRUCTION OF RAMPS AND INSTALLATION OF TGSIS SHALL BE DONE AS PER AS/NZS 1428.4.1:2009.

NOT TO SCALE



| Rev. | Revision Details                               | By | Date      |
|------|--|----|-----------|
| D    | DETAILS FOR CERAMIC TGSIS INSTALLATION REMOVED | GG | MAY 2021  |
| C    | DETAILS FOR GRANITE TGSIS INSTALLATION ADDED   | GG | JUNE 2019 |

**KERB ACCESS RAMP  
IN ASPHALT FOOTPATH  
TYPICAL STREET CORNER**

**INFRASTRUCTURE AND ASSETS BRANCH**

|  |   |                                |   |
|--|---|--------------------------------|---|
| <i>Approved By</i>                       |   | <i>Drawing Number</i> 1P 50200 |   |
| <i>Principal Engineer Infrastructure</i> | <i>Director Infrastructure &amp; Assets</i> | <i>Revision</i>                | D |
| <i>Date</i> May, 2021                    | <i>Date</i> May, 2021                       | <i>Docs</i>                    |   |