



100x35x450mm MIN. HARDWOOD TIMBER STAKES. SCREWED FROM INSIDE OF PLINTH WITH 4 No. 75mm LONG GALVANISED SCREWS

DETAIL 3
TIMBER PLINTH INSTALLATION IN PARKS ASPHALT PATHWAYS



DETAIL 1
TREE PLOT ARRANGEMENT IN ASPHALT/LANDSCAPED AREAS

150mm WIDE x 40mm THICK BLUESTONE STRIP SURROUNDS TO BE PLACED AT EDGE OF A FULL TILE WITH 100mm REINFORCED CONCRETE BASE TYPICAL. THE HOLE 1.2x1.2x0.7m DEPTH, FOR THE TREE SHALL BE LOOSELY BACKFILLED WITH APPROVED SUBSOIL AND TOPPED WITH 50mm OF GRANITIC GRAVEL



DETAIL 2
TREE PLOT ARRANGEMENT IN BLUESTONE PAVED AREAS

NOTE:

- TREE PLOT DIMENSIONS ARE A MINIMUM ONLY AND MAY BE ENLARGED TO SUIT EXISTING MATURE TREES WITH EXPOSED EXTENSIVE ROOT SYSTEMS. THE SIZE OF SUCH TREE PLOTS SHALL BE DETERMINED ON SITE BY COUNCIL.

NOT TO SCALE



Rev.	Revision Details	By	Date
F	DETAIL 3 ADDED	MB	Apr, 12
E			Nov, 10

TREE PLOT AND TIMEBR PLINTH
INSTALLATION DETAILS

ENGINEERING SERVICES BRANCH

Approved By		Drawing Number	
Principal Engineer Infrastructure		1P 50401	
Manager Engineering Services		Revision	
Date April, 2012		F	
Date April, 2012		Docs	