



**CONSTRUCTION LEGEND**

- EXISTING BLUESTONE PAVEMENT
- CONSTRUCT 995x495x40mm THICK BLUESTONE PAVEMENT AS PER CoM STANDARD DRAWING 1P 50402. PAVERS TO HAVE A GRIT BLASTED FINISH FOR IMPROVED SLIP RESISTANCE
- BREAK OUT CONCRETE CROSSING AND RECONSTRUCT IN ASPHALT AS PER CoM STANDARD DRAWING 1P50104
- RECONSTRUCT ASPHALT CROSSING AS PER CoM STANDARD DRAWING 1P50104
- SUPPLY AND SET NEW 200mm WIDE BLUESTONE KERB (UNLESS NOTED OTHERWISE) AND 250x100mm GUTTERSTONE CHANNEL.
- SUPPLY AND SET NEW 300mm WIDE BLUESTONE KERB AND 250x100mm GUTTERSTONE CHANNEL.
- LIFT AND RESET EXISTING BLUESTONE KERB AND SET NEW 250x100mm GUTTERSTONE CHANNEL.
- CONSTRUCT BLUESTONE PAVED ACCESS RAMP AS PER AS1428.1 : 2009. RAMP GRADE 1 IN 8 MAX. REFER CoM STD DWG 1P50201  
INSTALL 50mm WIDE 'PANDA' GRANITE INLAY DELINEATION PAVER WITH EXFOLIATED SURFACE TO OUTLINE OF ACCESS RAMP EDGE.  
PAVERS WITHIN ACCESS RAMP TO HAVE EXFOLIATED SAND BLAST SURFACE FINISH FOR IMPROVED SLIP RESISTANCE
- RECONSTRUCT AND ENLARGE EXISTING TREE PLOT.  
INSTALL 150mm WIDE INTERNAL BLUESTONE TREE SURROUND AROUND 3 No. SIDES OF EXISTING TREE PLOT. EXCAVATE 100mm BELOW EXISTING EARTHEN SURFACE WITHIN TREE PLOT AND BACKFILL WITH 60mm OF 7mm COMPACTED SCREENINGS. INSTALL 40mm THICK 'FLOWSTONE' POROUS PAVEMENT WITH 8mm 'SPRING' AGGREGATE, 100% U.V. STABLE RESIN. INSTALLATION AS PER MANUFACTURERS GUIDELINES.  
NOTE TREE SURROUND TO BE WITHIN FULL PAVER JOINTS.  
REFER CoM STD DRG 1P50401 AND DETAIL 2.



CAD FILE	WKO1010098	PROJECT NUMBER	22B1352N
DESIGNED BY	M. BRAJANOVSKI	CONCEPT DOCS NO.	
DRAWN BY	M. BRAJANOVSKI	SURVEY REFERENCE	STANTEC
CHECKED	D. NEWTON	SCALE	1:200
CHECKED DATE	XIX/2021	DATUM	GDA2020/AHD



**CITY OF MELBOURNE**  
Approved - Director City Infrastructure  
Date -

STATUS		<b>PRELIMINARY</b> NOT TO BE USED FOR CONSTRUCTION PURPOSES	
JOB LOCATION		BOURKE STREET QUEEN STREET TO ELIZABETH STREET - NORTH SIDE BLUESTONE FOOTPATH RENEWAL COMMUNITY CONSULTATION PLAN	
DRAWING NUMBER	WKO1010098	NUMBER OF SHEETS	REVISION B
DOCS NUMBER	-		